

Package ‘CEoptim’

October 12, 2022

Type Package

Title Cross-Entropy R Package for Optimization

Version 1.2

Date 2017-02-20

Author Tim Benham and Qibin Duan and Dirk P. Kroese and Benoit Lique

Maintainer Benoit Lique <b.liquet@uq.edu.au>

Depends MASS, msm, stats, sna

Description Optimization solver based on the Cross-Entropy method.

License GPL (>= 2.0)

NeedsCompilation no

Repository CRAN

Date/Publication 2017-02-20 08:11:07

R topics documented:

CEoptim-package	2
CEoptim	2
dirichletrnd	5
FitzHugh	6
lesmis	6
print	7
yt	8
Index	10

CEoptim-package *Cross-Entropy R package for optimization*

Description

The CEoptim package provides an optimization solver based on the Cross-Entropy method. The main function [CEoptim](#) can be used to solve multi-extremal optimization problems involving discrete, continuous, and mixed variables. In addition, CEoptim implements linear constraints for continuous optimization.

Details

Package: CEoptim
 Type: Package
 Version: 1.0
 Date: 2015-02-28
 License: GPL (>=2.0)
 LazyLoad: yes

Author(s)

Tim Benham, Qibin Duan, Dirk P. Kroese, Benoit Liquet <b.liquet@uq.edu.au>

References

Benham T., Duan Q., Kroese D.P., Liquet B. (2017) **CEoptim**: Cross-Entropy R package for optimization. *Journal of Statistical Software*, 76(8), 1-29.

See Also

[CEoptim](#)

CEoptim *Cross-Entropy optimizer*

Description

CEopt is an optimization function based on the Cross-Entropy method

Usage

```
CEoptim(f, f.arg=NULL, maximize=FALSE, continuous=NULL, discrete=NULL,
        N=100L, rho=0.1, iterThr=1e4L, noImproveThr=5, verbose=FALSE)
```

Arguments

f	Function to be optimized. Can have continuous and discrete arguments
f.arg	List of additional fixed arguments passed to function f.
maximize	Logical value determining whether to maximize or minimize the objective function
continuous	List of arguments for the continuous optimization part consisting of: <ul style="list-style-type: none"> • mean Vector of initial means. • sd Vector of initial standard deviations. • smoothMean Smoothing parameter for the vector of means. Default value 1 (no smoothing). • smoothSd Smoothing parameter for the standard deviations. Default value 1 (no smoothing). • sdThr Positive numeric convergence threshold. Check whether the maximum standard deviation is smaller than sdThr. Default value 0.001. • conMat Coefficient matrix of linear constraint $\text{conMat } x \leq \text{conVec}$. • conVec Value vector of linear constraint $\text{conMat } x \leq \text{conVec}$.
discrete	List of arguments for the discrete optimization part, consisting of: <ul style="list-style-type: none"> • categories Integer vector which defines the allowed values of the categorical variables. The <i>i</i>th categorical variable takes values in the set $\{0, 1, \dots, \text{categories}(i)-1\}$. • probs List of initial probabilities for the categorical variables. Defaults to equal (uniform) probabilities. • smoothProb Smoothing parameter for the probabilities of the categorical sampling distribution. Default value 1 (no smoothing). • ProbThr Positive numeric convergence threshold. Check whether all probabilities in the categorical sampling distributions deviate less than ProbThr from either 0 or 1. Default value 0.001.
N	Integer representing the CE sample size.
rho	Value between 0 and 1 representing the elite proportion.
iterThr	Termination threshold on the largest number of iterations.
noImproveThr	Termination threshold on the largest number of iterations during which no improvement of the best function value is found.
verbose	Logical value set for CE progress output.

Value

CEoptim returns an object of class "CEoptim" which is a list with the following components.

- **optimum** Optimal value of f.
- **optimizer** List of the location of the optimal value, consisting of:
 - **continuous** Continuous part of the optimizer.
 - **discrete** Discrete part of the optimizer.
- **termination** List of termination information consisting of:

- **niter** Total number of iterations upon termination.
- **convergence** One of the following statements:
 - * Not converged, if the number of iterations reaches `iterThr`;
 - * The optimum did not change for `noImproveThr` iterations, if the best value has not improved for `noImproveThr` iterations;
 - * Variances converged, otherwise.
- **states** List of intermediate results computed at each iteration. It consists of the iteration number (`iter`), the best overall value (`optimum`) and the worst value of the elite samples, (`gammat`). The means (`mean`) and maximum standard deviations (`maxSd`) of the elite set are also included for continuous cases, and the maximum deviations (`maxProbs`) of the sampling probabilities to either 0 or 1 are included for discrete cases.
- **states.probs** List of categorical sampling probabilities computed at each iteration. Will only be returned for discrete and mixed cases.

Note

Although partial parameter passing is allowed outside lists, it is recommended that parameters names are specified in full. Parameters inside lists have to be specified completely.

Because `CEoptim` is a random function it is useful to (1) set the seed for the random number generator (for testing purposes), and (2) investigate the quality of the results by repeating the optimization a number of times.

Author(s)

Tim Benham, Qibin Duan, Dirk P. Kroese, Benoit Lique

References

Benham T., Duan Q., Kroese D.P., Lique B. (2017) **CEoptim**: Cross-Entropy R package for optimization. *Journal of Statistical Software*, 76(8), 1-29.

Rubinstein R.Y. and Kroese D.P. (2004). *The Cross-Entropy Method*. Springer, New York.

Examples

```
## Maximizing the Peaks Function

fun <- function(x){
  return(3*(1-x[1])^2*exp(-x[1]^2 - (x[2]+1)^2)
  -10*(x[1]/5-x[1]^3 - x[2]^5)*exp(-x[1]^2 - x[2]^2)
  -1/3*exp(-(x[1]+1)^2 - x[2]^2))}

set.seed(1234)

mu0 <- c(-3,-3); sigma0 <- c(10,10)

res <- CEoptim(fun,continuous=list(mean=mu0, sd=sigma0), maximize=TRUE)

## To extract the Optimal value of fun
```

```
res$optimum
## To extract the location of the optimal value
res$optimizer$continuous
## print function gives the following default values
print(res)
```

dirichletrnd	<i>Dirichlet generator</i>
--------------	----------------------------

Description

Random generation for the Dirichlet distribution

Usage

```
dirichletrnd(a, n)
```

Arguments

a	numeric vector for the concentration parameters
n	number of observations

Value

dirichletrnd generates n random observations from a Dirichlet distribution

Author(s)

Tim Benham, Qibin Duan, Dirk P. Kroese, Benoit Liquet

References

Kroese D.P., Taimre T., Botev Z.I. (2011), *Handbook of Monte Carlo Methods*, John Wiley & Sons.

Examples

```
## Generation from the Dirichlet distribution
## with parameter a=(1,2,3,4,5)

set.seed(12345)
a <- 1:5
n <- 10

y <- dirichletrnd(a,n)
y
```

 FitzHugh

Simulated data from FitzHugh-Nagumo differential equations

Description

The data correspond to the values $V(t)$ of the FitzHugh-Nagumo differential equations

$$V'(t) = c \cdot (V(t) - (V(t)^3)/3 + R(t))$$

$$R'(t) = -(1/c) \cdot (V(t) - a + b \cdot R(t))$$

at times 0, 0.05,...,20.0, with parameters $a = 0.2$, $b = 0.2$, $c = 3$ and initial conditions $V(0) = -1$, $R(0)=1$, and adding gaussian noise with standard deviation 0.5.

Usage

```
data(FitzHugh)
```

Format

A numeric vector of length 401

References

Nagumo, J. and Arimoto, S. and Yoshizawa, S. (1962) An active pulse transmission line simulating nerve axon, *Proceedings of the IRE*, **50** (10), 2061–2070.

Ramsay, J.O. and Hooker, G. and Campbell, D. and Cao J. (2007) Parameter estimation for differential equations: A generalized smoothing approach, *Journal of the Royal Statistical Society, Series B* **69** (5) 741–796.

Benham T., Duan Q., Kroese D.P., Lique B. (2017) **CEoptim**: Cross-Entropy R package for optimization. *Journal of Statistical Software*, 76(8), 1-29.

Examples

```
## Plot the data
data(FitzHugh)
plot(FitzHugh,col="blue")
```

 lesmis

Network data from Les Miserables

Description

An R implementation of Donald Knuth's social network graph describing the interaction of characters in Victor Hugo's novel *Les Miserables*. Each node represents a character, and edges connect any pair of characters that coappear. The weights of the edges are the number of such coappearances.

Usage

```
data(lesmis)
```

Format

Matrix of weights (77x77)

References

Knuth, D.E. (1993) *The Stanford GraphBase: A Platform for Combinatorial Computing*, ACM Press: Reading MA

Benham T., Duan Q., Kroese D.P., Lique B. (2017) **CEoptim**: Cross-Entropy R package for optimization. *Journal of Statistical Software*, 76(8), 1-29.

Examples

```
## Display the social network graph
data(lesmis)
gplot(lesmis, gmode="graph")
```

print	<i>Print method for the CEoptim object</i>
-------	--

Description

Produce print method for class "CEoptim"

Usage

```
## S3 method for class 'CEoptim'
print(x, ...)
```

Arguments

x	object of class inheriting from "CEoptim"
...	additional arguments: optimizer; optimum; termination; states; states.probs

Details

print method for "CEoptim" class, returns by default the main description of the x object including: optimizer; optimum; termination. To get the states and states.probs outputs, one should specify the corresponding argument to "TRUE".

Author(s)

Tim Benham, Qibin Duan, Dirk P. Kroese, Benoit Lique

References

Benham T., Duan Q., Kroese D.P., Liqet B. (2017) **CEoptim**: Cross-Entropy R package for optimization. *Journal of Statistical Software*, 76(8), 1-29.

See Also

[CEoptim](#)

Examples

```
## Maximizing the Peaks Function

fun <- function(x){
  return(3*(1-x[1])^2*exp(-x[1]^2 - (x[2]+1)^2)
  -10*(x[1]/5-x[1]^3 - x[2]^5)*exp(-x[1]^2 - x[2]^2)
  -1/3*exp(-(x[1]+1)^2 - x[2]^2))}

set.seed(1234)

mu0 <- c(-3,-3); sigma0 <- c(10,10)

res <- CEoptim(fun,continuous=list(mean=mu0, sd=sigma0), maximize=TRUE)

## Print method provides by default
## optimizer; optimum and termination.
print(res)
## To print only the Optimal value of fun
print(res,optimum=TRUE)
## To print only the location of the optimal value
print(res,optimizer=TRUE)
## To print only termination information
print(res,termination=TRUE)
```

yt

Simulated cumulative data from an AR(1) model with regime switching

Description

yt represents the added value of a stock at time t, at day t=1,2,...,300; that is, the increase (which may be negative) in stock price relative to the price at time t=0.

Usage

```
data(yt)
```

Format

Numeric vector of length 300

References

Benham T., Duan Q., Kroese D.P., Liqet B. (2017) **CEoptim**: Cross-Entropy R package for optimization. *Journal of Statistical Software*, 76(8), 1-29.

Examples

```
## Plot the yt data
data(yt)
plot(yt, type="l", col="blue")
```

Index

* **datasets**

FitzHugh, [6](#)

lesmis, [6](#)

yt, [8](#)

* **package**

CEoptim-package, [2](#)

CEoptim, [2](#), [2](#), [8](#)

CEoptim-package, [2](#)

dirichletrnd, [5](#)

FitzHugh, [6](#)

lesmis, [6](#)

print, [7](#)

yt, [8](#)